


Manufacturer's Name:
Sunrise Environmental Scientific
Address: P.O. Box 10207
City: Reno, Nevada 89510



Information: 775-359-8494
For chemical emergency,
Chemtrec: 800-424-9300
Fax: 775-359-6751

MATERIAL SAFETY DATA SHEET

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CLEAR-TAC FG

Date Prepared: 10/19/11 Product Number: 1119 UN-Number: 1255

SECTION II - HAZARDOUS INGREDIENTS

| | | | | |
|--------------------------------|-------------|--------|--------|-----------------------|
| Ingredients: | CAS#: | PEL: | TLV: | IDLH: |
| Aliphatic Petroleum Distillate | 64742-89-8 | 300ppm | 300ppm | 1800mg/m ³ |
| Hydrocarbon Propellant | 68-476-86-8 | N/A | 600ppm | N/A |

Comments: None.

SECTION III - PHYSICAL DATA

Boiling Point: 244 Degrees F. Vapor Press: 15mm Hg Vapor Density: 3.8 Solubility In Water: Insoluble

Specific Gravity: .78 Appearance And Odor: Clear, colorless liquid with petroleum odor.

Melting Point: N/A Evaporation Rate: N/A %VOC: 60

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: 70°F. COC LEL: 0.9 Flammable Limits: Petroleum Distillate UEL: N/A

Extinguishing Media: Foam, Co2, dry chemical. Fire Fighting Procedures: May produce irritating fumes in fire, use SCBA equipment.

Explosion Hazard: Vapors are heavier than air and may travel along the ground or may be moved by ventilation and ignited by ignition sources at locations distant from material handling point.

SECTION V - REACTIVITY DATA

Stability: Stable. Condition To Avoid: N/A Incompatibility: Strong oxidizing agents.

Hazardous By-Products: Carbon monoxide. Hazardous Polymerization: Will not occur.

SECTION VI - HEALTH HAZARD DATA

Route Of Entry: Inhalation, skin, ingestion, eye.

Acute Health Hazards: Irritation to skin, respiratory tract, drowsiness. Loss of equilibrium, headache, gastrointestinal irritation, eye irritant.

Chronic Health Hazards: Not established. Deliberate inhalation of vapor may result in convulsions, permanent body damage or cardiac arrest and death.

Carcinogenicity: No. NTP: No. IARC Monographs: No. OSHA Regulated: No.

Signs Of Exposure: Watering eyes, itchy skin, drowsiness, loss of equilibrium, dry or defatted skin, any oxygen deprivation symptom.

Medical Condition Aggravated By Exposure: Use artificial respirator.

First Aid For Exposure: Eyes; flush with water for 15 minutes, see a physician. Skin; flush with water, remove soiled clothing. Ingestion; Do not induce vomiting. Aspiration hazard. Drink large quantities of water, see a physician immediately. Inhalation: Move to fresh air.

SECTION VII - PRECAUTION FOR SAFE HANDLING AND USE

Spill Cleanup Procedure: Eliminate ignition sources. Isolate spill and Absorb material with spill absorbent or like material. Follow local regulations with regard to chemical spills.

Waste Disposal Method: Dispose of material following local and federal regulations. Do not incinerate aerosol cans.

Precaution In Storage: Store away from reactive chemicals in a cool, well ventilated area.

Other Precautions: Avoid skin contact. Use gloves and wash up after use. Do not use inside tanks, vapors harmful.

SECTION VIII - CONTROL MEASURES

Respiratory Protection: Use ventilation adequate to maintain TLV.

Local Exhaust Ventilation: Use fan in confined area.

Special Exhaust: N/A Mechanical Exhaust: N/A Other Exhaust: N/A

Protective Gloves: Chemical resistant gloves.

Eye Protection: Goggles or face shield.

Protective Clothing Or Equipment: Apron and boots optional.

Hygienic Work Practices: Use caution appropriate to solvents in use and storage. Use caution appropriate to high chemical solvent producing irritating vapors.

| | | |
|---------------------------------------|--------------|---|
| HMIS RATING or NFPA704 HAZARD RATING | HEALTH | 1 |
| Extreme - 4 • High - 3 • Moderate - 2 | FLAMMABILITY | 3 |
| Slight - 1 • Insignificant - 0 | REACTIVITY | 0 |